



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/789,847	02/27/2004	Mary R. Reidmeyer	GSIE 8188D2	8471

1688 7590 05/04/2005

POLSTER, LIEDER, WOODRUFF & LUCCHESI  
12412 POWERSCOURT DRIVE SUITE 200  
ST. LOUIS, MO 63131-3615

EXAMINER

CLEVELAND, MICHAEL B

ART UNIT PAPER NUMBER

1762

DATE MAILED: 05/04/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No. 10/789,847	Applicant(s) REIDMEYER ET AL.	
	Examiner Michael Cleveland	Art Unit 1762	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 27 February 2004.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-19 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-19 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 27 February 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date <u>022704</u> . | 6) <input type="checkbox"/> Other: _____  |

### DETAILED ACTION

#### *Claim Rejections - 35 USC § 112*

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 2, 9, 13, and 18-19 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. While there is support for the use of the genus of organic solvents and the species of acetone as solvents for the activating solution, there is no support to indicate that Applicant had possession of the particularly claimed sub-genus of all volatile solvents for use in the nucleating solution. Also, there is no disclosure of either the use of the genus of volatile solvents nor acetone in particular in the electroless plating solution.

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

4. Claims 11-19 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 11 (lines 4 and 5), 13, and 14 recite the limitation "the first surface". There is insufficient antecedent basis for this limitation in the claim. For the purposes of applying art, based on the specification, the term has been interpreted as inclusive of the "outer surface" of claim 11, line 3.

#### *Claim Rejections - 35 USC § 103*

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 1762

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

7. Claims 1-5, 9, 11, and 13-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka et al. (U.S. Patent 5,716,507, hereafter '507) in view of Orlowski et al. (U.S. Patent 5,153,023, hereafter '023).

'507 teaches

A method of forming a coating of a precious metal on a ceramic substrate to form an automotive oxygen sensor (Abstract), comprising

forming a ceramic substrate having pores at a surface of the substrate by forming a solid thimble-shaped ceramic body (col. 1, lines 65-col. 2, line 4; col. 6, lines 5-7; Fig. 3) and depositing a porous layer on an outer surface of the body (col. 1, line 65-col. 2, line 4; col. 3, lines 42-52; col. 8, lines 28-35);

activating the porous layer on the outer surface of the body to form a plurality of particle as growth points (i.e., nucleation sites) for a conductive layer on the first surface (col. 3, lines 43-59; col. 8, lines 27-67) by forming a solution of a salt of a first metal and forming nucleation sites (col. 8, lines 36-37) and forming nucleation sites by wicking the solution into the pores at the surface of the substrate (col. 8, lines 39-48);

growing a first electrode by chemical plating a conductive layer of platinum, a precious metal, on the activated porous layer on the outer surface of the body (col. 3, lines 50-51; col. 6, lines 23-25).

Art Unit: 1762

'507 does not explicitly teach that the plating is electroless plating nor that the activating solution is in an organic solvent. However, the Examiner takes Official Notice that electroless plating from aqueous solution is a notoriously well known of performing chemical plating of metals. See, e.g., the discussion in Orlowski '023. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have used electroless plating from aqueous solution as the particular plating method of chemical plating of '507 with a reasonable expectation of success because electroless plating from aqueous solution is a notoriously well known method of performing chemical plating of metals.

'023 also teaches that nucleation sites to catalyze the electroless deposition reaction (col. 1, lines 15-20) may be deposited by decomposing platinum salts dissolved in acetone (col. 5, lines 41-68). The selection of something based on its known suitability for its intended use has been held to support a *prima facie* case of obviousness. *Sinclair & Carroll Co. v. Interchemical Corp.*, 325 U.S. 327, 65 USPQ 297 (1945). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have used acetone as the particular solvent of the activating solution of platinum salt of '507 with a reasonable expectation of success because '023 teaches that acetone is a suitable solution for depositing decomposable platinum salts as nucleation sites for electroless plating.

Claim 4: As discussed above, the first electrode may be platinum.

Claim 5: The nucleation sites are particles. Therefore, there must be numerous unplated areas in order to allow the formation of discrete particles. The particle diameter (and therefore the thickness of the nucleating layer) is less than 1 micron (col. 8, lines 58-67). The subject matter as a whole would have been obvious to one of ordinary skill in the art at the time the invention was made to have selected the overlapping portion of the range disclosed by the reference because overlapping ranges have been held to be a *prima facie* case of obviousness, see *In re Malagari*, 182 U.S.P.Q. 549.

Claims 6, 11: The oxygen sensor may be used as an automotive sensor (col. 1, lines 13-15). It may therefore be used as a lambda sensor.

Art Unit: 1762

8. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka '507 in view of Orlowski '023, as applied to claim 1, and further in view of Katafuchi (U.S Patent 5,948,225, hereafter '225).

'507 is discussed above, but does not explicitly teach that the layer thickness is between 0.01 and 0.5 microns. '225 discloses that 0.05 microns is a suitable size for nucleating particles for depositing a subsequent electroless plating layer to form the electrodes of oxygen sensors. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have used the method of '507 to have deposited a layer of about 0.05 microns with a reasonable expectation of success because '225 discloses that such is an operative size for the nucleation sites.

9. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka '507 in view of Orlowski '023, as applied to claim 1, and further in view of Marsh et al. (U.S Patent 5,087,595, hereafter '595).

'507 is discussed above, and teaches that the sensor may be thimble-shaped with a center axial cavity (Fig. 3) and teaches molding and then sintering (i.e., firing) but does not explicitly teach compressing, drilling a cavity in the body and then firing the body. However, '595 teaches that a standard method of forming electrolyte bodies is forming the body, machining them to shape, and then sintering them (col. 1, lines 21-37). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have formed the body by molding in a thimble, as discussed above, then machining to form the cavity, and then firing the body because '595 teaches that such is a standard, operative method of forming electrolyte bodies. The Examiner takes Official Notice that drilling is a standard method of machining to form a cavity in a body. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have performed drilling as the particular machining operation in order to have formed the hole of '507 because drilling is a notoriously well known machining process for forming holes.

Art Unit: 1762

10. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka '507 in view of Orlowski '023, as applied to claim 1, and further in view of Clerc-Renaud et al. (U.S. Patent 4,798,662, hereafter '662).

'507 teaches the use of a decomposable platinum salt to form nucleation sites, as discussed above, but does not explicitly teach that the platinum salt is hexachloroplatinic acid. However, '662 teaches that hexachloroplatinic acid is a suitable decomposable salt for the formation of platinum (col. 3, lines 56-60; Example 7). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have used hexachloroplatinic acid as the particular platinum salt of '507 with a reasonable expectation of success and with the expectation of similar results because '662 teaches that it is an operative decomposable platinum salt.

11. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka '507 in view of Orlowski '023, as applied to claim 1, and further in view of Hardtl et al. (U.S. Patent 5,843,858, hereafter '858).

'507 teaches the use of a pressure molding to form the solid electrolyte body of the oxygen sensor (col. 6, lines 5-7), but does not explicitly teach that the body is formed by uniaxial compression. However, '858 teaches that solid electrolyte bodies for oxygen sensors may be formed by uniaxial compression (col. 4, lines 1-11). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have used uniaxial compression as the method of forming the body of '507 with a reasonable expectation of success and with the expectation of similar results because '858 teaches that it is an operative method of forming bodies for oxygen sensors.

12. Claims 14-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka '507 in view of Orlowski '023, as applied to claim 1, and further in view of Hardtl et al. (U.S. Patent 3,562,911, hereafter '911).

'507 and '023 are discussed above, but do not explicitly teach the use of a solution of hexachloroplatinic acid, hydrazine, and a volatile solvent as the particular electroless plating solution. However, '858 teaches an operative electroless platinum plating solution containing

Art Unit: 1762

hexchloroplatnic acid, hydrazine, and ethanol, a volatile solvent (col. 1, lines 17-29, col. 2, line 70-col. 3, line 5; and col. 2, lines 43-45). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have used the solution of '858 as the particular plating solution of '507 and '023 with a reasonable expectation of success and with the expectation of similar results because '911 teaches that it is an operative electroless platinum plating solution.

13. Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka '507 in view of Orlowski '023, and Hardtl '911 as applied to claim 18, and further in view of Vaughn (U.S Patent 5,082,734, hereafter '734).

'507, '023, '911 are discussed above, but do not explicitly teach the use of acetone in the electroless plating solution. However, '734 teaches that acetone may be added to electroless plating solutions to increase the solubility of the salts therein (col. 9, lines 42-50). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included acetone in the particular plating solution of '507, '023, and '858 with a reasonable expectation of success in order to have facilitated the solubility of the ingredients.

### ***Double Patenting***

14. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).



Art Unit: 1762

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

15. Claims 1-3, 5-11, and 13-18 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-10 of U.S. Patent No. 6,315,880, hereafter '880. Although the conflicting claims are not identical, they are not patentably distinct from each other because current independent claims 1-3, 5-8, 11, and 13-14 represent different combinations of the features and intended uses of claims 1-10 of '880. One of ordinary skill in the art would have looked to the specification for a definition of "activating" as used in claim 1 and "unstable" in claim 4, and would have discovered the suitable features of the exemplary activating and electroless plating solutions that are claimed in claims 9-10 and claims 1 ("aqueous) and 15-18, respectively.

Claim 4 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-10 of U.S. Patent No. 6,315,880 in view of Tanaka '507 because Tanaka '507 discloses that the activating metal and subsequent plating metal may be the same (both platinum), as discussed above.

Claim 12 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-10 of U.S. Patent No. 6,315,880 in view of Hardtl '858 for the further reasons given regarding claim 12, above.

Claim 19 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-10 of U.S. Patent No. 6,315,880 in view of Vaughn '734 for the further reasons given regarding claim 19, above.

### ***Conclusion***


16. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Hedgcoth (U.S. Patent 4,735,840) is cited for its teachings regarding nucleation layer thicknesses (col. 5). Kitt et al. (U.S. Patent 4,101,403) is cited for its teachings regarding use of oxygen sensors to monitor lambda in automobiles.

Art Unit: 1762

17. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Cleveland whose telephone number is (571) 272-1418. The examiner can normally be reached on Monday-Thursday, 7-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Meeks can be reached on (571) 272-1423. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Michael Cleveland  
Primary Examiner  
Art Unit 1762

5/2/2005